
Product Information Sheet

COMMISSION DELEGATED REGULATION (EU) 2019/2015 with regard to energy labelling of light sources

sources			ors with regard to energ	B) 1440 - 116 - 11		
Supplier's name	e or trade mark:	SETOLITE Lichttechi	nik GmbH			
Supplier's address: Technical Support, Bockhackerstraße 13, 42499 Hückeswagen, DE Model identifier: 1410911244						
Lighting technology used:		LED	Non-directional or directional:	DLS		
Light source cap-type		None				
(or other electric interface)						
Mains or non-mains:		NMLS	Connected light source (CLS):	No		
Colour-tuneable light source:		No	Envelope:	-		
High luminance light source:		No				
Anti-glare shield:		No	Dimmable:	Yes		
		Product para				
Parameter		Value	Parameter	Value		
Fnormy consur	mntion in on	General product p		D		
Energy consumption in on- mode (kWh/1000 h), rounded up to the nearest integer		65	Energy efficiency class	D		
Useful luminous flux (фuse), indicating if it refers to the flux in a sphere (360°), in a wide cone (120°) or in a narrow cone (90°)		8 300 in Nar- row cone (90°)	Correlated colour temperature, rounded to the nearest 100 K, or the range of correlated colour temperatures, rounded to the nearest 100 K, that can be set	4 000		
On-mode power (P _{on}), ex- pressed in W		65,0	Standby power (P _{sb}), expressed in W and rounded to the sec- ond decimal	0,00		
Networked standby power (P _{net}) for CLS, expressed in W and rounded to the second decimal		-	Colour rendering index, rounded to the nearest integer, or the range of CRI-values that can be set	70		
Outer dimen-	Height	77	Spectral power dis-	See image		
sions without separate con- trol gear, light- ing control	Width Depth	275 52	tribution in the range 250 nm to 800 nm, at full-load	in last page		

parts and non- lighting con- trol parts, if any (millime- tre)						
Claim of equivalent power ^(a)	-	If yes, equivalent power (W)	-			
		Chromaticity coordinates (x and y)	0,382 0,380			
Parameters for directional light sources:						
Peak luminous intensity (cd)	8 800	Beam angle in degrees, or the range of beam angles that can be set	60			
Parameters for LED and OLED light sources:						
R9 colour rendering index value	0	Survival factor	0,90			
the lumen maintenance factor	0,96					

(a)'-': not applicable; (b)'-': not applicable;



Model placed on the Union market from 17/06/2019



EPREL registration number: 1013708 https://eprel.ec.europa.eu/qr/10

13708

Supplier: SETOLITE Lichttechnik GmbH (Manufacturer) Website: www.setolite.com

Customer care service:

Name: Technical Support Website: www.setolite.com

Email: info@setolite.de **Phone:** +49 2192 / 93624-0

Address:

Bockhackerstraße 13 42499 Hückeswagen

Germany