## **Product Information Sheet**

COMMISSION DELEGATED REGULATION (EU) 2019/2015 with regard to energy labelling of light sources

| Supplier's name or trade mark: | SETOLITE Lichttechnik GmbH |
|--------------------------------|----------------------------|

Supplier's address: Technical Support, Bockhackerstraße 13, 42499 Hückeswagen, DE

Model identifier: 1410911269

| _    | •  |       |         |  |
|------|----|-------|---------|--|
| Ivpe | Ot | light | source: |  |


| Lighting technology used:     | LED  | Non-directional or directional: | NDLS |
|-------------------------------|------|---------------------------------|------|
| Light source cap-type         | none |                                 |      |
| (or other electric interface) |      |                                 |      |
| Mains or non-mains:           | NMLS | Connected light source (CLS):   | No   |
| Colour-tuneable light source: | No   | Envelope:                       | -    |
| High luminance light source:  | No   |                                 |      |
| Anti-glare shield:            | No   | Dimmable:                       | Yes  |
| Due de et e augus ataus       |      |                                 |      |

## **Product parameters**

| Froduct parameters                                |   |                           |  |              |  |
|---|---|---------------------------|--|--------------|--|
| Parameter   |   | Value                     | Parameter  | Value        |  |
| General product parameters:                       |   |                           |  |              |  |
| <u> </u>  | nption in on-<br>00 h), rounded<br>st integer                                   | 40                        | Energy efficiency class  | С            |  |
| dicating if it refe<br>a sphere (360°)            | s flux (фuse), in-<br>ers to the flux in<br>, in a wide cone<br>rrow cone (90º) | 7 200 in<br>Sphere (360°) | Correlated colour temperature, rounded to the nearest 100 K, or the range of correlated colour temperatures, rounded to the nearest 100 K, that can be set | 5 000        |  |
| On-mode pow<br>pressed in W                       | ver (P <sub>on</sub> ), ex-   | 40,0                      | Standby power (P <sub>sb</sub> ),<br>expressed in W and<br>rounded to the sec-<br>ond decimal  | 0,00         |  |
| (P <sub>net</sub> ) for CLS, 6                    | candby power expressed in W the second dec-                                     | -                         | Colour rendering in-<br>dex, rounded to the<br>nearest integer, or<br>the range of CRI-val-<br>ues that can be set   | 80           |  |
| Outer dimen-                                      | Height  | 280                       | Spectral power dis-  | See image    |  |
| sions without                                     | Width   | 40                        | tribution in the   | in last page |  |
| separate con-<br>trol gear, light-<br>ing control | Depth   | 7                         | range 250 nm to 800<br>nm, at full-load  |              |  |

| parts and non-<br>lighting con-<br>trol parts, if<br>any (millime-<br>tre) |      |                              |       |  |
|--|------|------------------------------|-------|--|
| Claim of equivalent power <sup>(a)</sup>                                   | -    | If yes, equivalent power (W) | -     |  |
|  |      | Chromaticity coordi-         | 0,345 |  |
|  |      | nates (x and y)              | 0,355 |  |
| Parameters for LED and OLED light sources:                                 |      |                              |       |  |
| R9 colour rendering index value  | 5    | Survival factor              | 0,90  |  |
| the lumen maintenance factor   | 0,97 |                              |       |  |

(a)'-': not applicable; (b)'-': not applicable;



Rel. Spectral distribution

Model placed on the Union market from 22/11/2018



EPREL registration number: 1011660 https://eprel.ec.europa.eu/qr/10

11660

Supplier: SETOLITE Lichttechnik GmbH (Manufacturer) Website: www.setolite.com

**Customer care service:** 

Name: Technical Support Website: www.setolite.com

**Email:** info@setolite.de **Phone:** +49 2192 / 93624-0

Address:

Bockhackerstraße 13 42499 Hückeswagen

Germany